# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/568,786	02/16/2006	Shiro Uchida	09792909-6622	6377	
	7590 10/18/2007 - EIN NATH & ROSENTH	AL LLP	EXAMINER		
P.O. BOX 0610	)80	NIU, XINNING			
WACKER DRI CHICAGO, IL	IVE STATION, SEARS T 60606-1080	OWER	ART UNIT PAPER NUMBER		
011107100, 12	00000 1000		2828		
			MAIL DATE	DELIVERY MODE	
			10/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
		10/568,786	UCHIDA ET AL.				
	Office Action Summary	Examiner	Art Unit				
		Xinning(Tom) Niu	2828				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHICHI - Extensio after SIX - If NO pe - Failure to Any reply	RTENED STATUTORY PERIOD FOR REPLY EVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. From the mailing water than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	TE OF THIS COMMUNICA 6(a). In no event, however, may a repl Il apply and will expire SIX (6) MONTH cause the application to become ABAN	ATION. y be timely filed IS from the mailing date of this of NDONED (35 U.S.C. § 133).				
Status							
. 1)⊠ R	esponsive to communication(s) filed on <u>02/16</u>	<u>/2006</u> .					
,	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.						
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
clo	osed in accordance with the practice under E	x parte Quayle, 1935 C.D. 1	11, 453 O.G. 213.				
Disposition of Claims							
4)⊠ CI	4)⊠ Claim(s) <u>1-25</u> is/are pending in the application.						
·	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) <u></u> Cl	5) Claim(s) is/are allowed.						
6)⊠ Cl	aim(s) <u>1-25</u> is/are rejected.		•				
• —	laim(s) is/are objected to.						
8) <u></u> Cl	laim(s) are subject to restriction and/or	election requirement.	•				
Application	Papers		`				
9)∐ Th	e specification is objected to by the Examine	,					
10 <u>)</u> ⊠ Th	e drawing(s) filed on 16 February 2006 is/are	: a)⊠ accepted or b)⊡ ob	jected to by the Exam	iner.			
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority und	der 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of: 1.⊠ Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3.⊠ Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice o	of References Cited (PTO-892)	4) Interview Sur					
	of Draftsperson's Patent Drawing Review (PTO-948) tion Disclosure Statement(s) (PTO/SB/08)		Mail Date  ormal Patent Application				
	o(s)/Mail Date <u>02/16/2006</u> .	6)  Other:					

Art Unit: 2828

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 7, 8, 13, 19, 20, 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Miyake (JP 11-251678).
- 3. Regarding claim 1, Miyake discloses: a substrate (2) ([0009]); a first conductive type first cladding layer (4) formed on said substrate ([0009]); an active layer (5) formed on said first cladding layer ([0009]); a second conductive type second cladding layer (8,9) formed on said active layer, a part thereof having a ridge-shaped portion as a current narrowing structure ([0009]); wherein said ridge shaped portion of said second cladding layer includes a first ridge shaped layer (8) on the side close to said active layer and having a high bandgap and a second ridge shaped layer (9) on the side distant from the active layer and having a low bandgap ([0009]). First ridge shaped layer (8) formed using AlGaInP at the given concentration inherently has a higher bandgap than AlGaInP at the given concentration.

Art Unit: 2828

- 4. Regarding claim 7, Miyake discloses: etch stop layer (7) formed on a boundary face of a portion excepting the ridge shaped portion of said second cladding layer and said first ridge shaped layer ([0009]).
- 5. Regarding claim 8, Miyake discloses: first cladding layer, active layer and second cladding layer are formed by an AlGaInP based material (Figure 1, [0009]).
- 6. Regarding claim 13, Miyake discloses: a substrate (2) ([0009]); a first conductive type first cladding layer (4) formed on said substrate ([0009]); an active layer (5) formed on said first cladding layer ([0009]); a second conductive type second cladding layer (8,9) formed on said active layer, a part thereof having a ridge-shaped portion as a current narrowing structure ([0009]); wherein said ridge shaped portion of said second cladding layer includes a first ridge shaped layer (8) on the side close to said active layer and having a high bandgap and a second ridge shaped layer (9) on the side distant from the active layer and having a low bandgap ([0009]). First ridge shaped layer (8) formed using AlGaInP at the given concentration inherently has a higher bandgap than AlGaInP at the given concentration.
- 7. Regarding claim 19, please see the rejection for claim 7.
- 8. Regarding claim 20, Miyake discloses: forming ridge shaped portion by etching which stops at said etching stop layer ([0013]).

Application/Control Number: 10/568,786 Page 4

Art Unit: 2828

9. Regarding claim 21, please see the rejection for claim 8.

## Claim Rejections - 35 USC § 103

- 10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 11. Claims 2-6, 9-12, 14-18, 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyake (JP 11-251678).
- 12. Regarding claim 2, Miyake discloses the claimed limitations except first ridge shaped layer and second ridge shaped layer are a layer with a high aluminum composition ratio and a layer with a low aluminum concentration respectively. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the aluminum concentration of each layer, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

Art Unit: 2828

- 13. Regarding claim 3, Miyake discloses the claimed limitations except the aluminum composition ratio X1 of said first ridge shaped layer is between 0.6 and 0.7, and an aluminum composition ratio of X2 of said second ridge shaped layer is  $X2 \le X1$ . It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the aluminum composition of each layer, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller,* 105 USPQ 233.
- 14. Regarding claim 4, Miyake discloses the claimed limitations except an aluminum composition ratio X1 of said first ridge shaped layer is 0.7, and an aluminum composition ratio X2 of said second ridge shaped layer is 0.65. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a specific aluminum concentration for each layer, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).
- thickness of said first ridge shaped layer is 50 to 400 nm. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the thickness of the first ridge shaped layer, since it has been

Art Unit: 2828

held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

- 16. Regarding claim 6, Miyake discloses the claimed limitations except a sum of a film thickness of a portion excepting said ridge-shaped portion of said second cladding layer and a film thickness of said first ridge shaped layer is 750 nm or smaller. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the thickness of the first ridge shaped layer and other layers below it, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.
- Regarding claim 9, Miyake discloses the claimed limitations except: wherein the 17. first cladding layer, active layer and second cladding layer are formed by an AlGaN based material. It would have been obvious to one having ordinary skill in the art at the time the invention was made to AlGaN instead of AlGaInP, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

Art Unit: 2828

- 18. Regarding claim 10, Miyake discloses the claimed limitations except: wherein the first ridge shaped layer is formed by a layer having an equal refractive index to that of a portion excepting said ridge shaped portion of said second cladding layer. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the refractive index of the ridge layer in order to control the lateral mode of the laser device.
- 19. Regarding claim 11, Miyake discloses the claimed limitations except: wherein the first ridge shaped layer is formed by a layer having an lower refractive index to that of a portion excepting said ridge shaped portion of said second cladding layer. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the refractive index of the ridge layer in order to control the lateral mode of the laser device.
- 20. Regarding claim 12, Miyake discloses the claimed limitations except: wherein an aluminum composition ratio of said portion excepting said ridge-shaped portion of said second cladding layer is 0.68, and an aluminum composition ratio of said first ridge-shaped layer is 0.75 to 0.80. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the aluminum concentration of the two ridge layers, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the

Art Unit: 2828

optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

- 21. Regarding claim 14, please see the rejection for claim 2.
- 22. Regarding claim 15, please see the rejection for claim 3.
- 23. Regarding claim 16, please see the rejection for claim 4.
- 24. Regarding claim 17, please see the rejection for claim 5.
- 25. Regarding claim 18, please see the rejection for claim 6.
- 26. Regarding claim 22, please see the rejection for claim 9.
- 27. Regarding claim 23, please see the rejection for claim 10.
- 28. Regarding claim 24, please see the rejection for claim 11.
- 29. Regarding claim 25, please see the rejection for claim 12.

Art Unit: 2828

#### Conclusion

30. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Takeuchi et al. (2004/0252739) disclose ridge waveguide laser with two ridge portions.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Xinning(Tom) Niu whose telephone number is 571-270-1437. The examiner can normally be reached on M-T, 7:30-5:00 EST, Alternate Fridays 7:30-4:00 ES.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Min Sun Harvey can be reached on (571) 272-1835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2828

Xinning Niu 10/03/2007 Page 10

